




# THE DATASHEET OF TTR-20R0



THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.



PANDUIT PART NO.	DESCRIPTION	BUNDLE DIA.		A in (mm)	B ft (m)	C in (mm)	D in (mm)	E in (mm)	MIN. LOOP* TENSILE lbs. (N)
		MIN. in (mm)	MAX.						
TTR-20R0	20ft (6.1) ROLL	.625 (16)	VARIOUS	.035 (0.9)	20 (6.1)	.750 (19.1)	1.5 (38)	3.44 (87)	40 (178)
TTR-35RX0	35ft (10.7) ROLL				35 (10.7)			4.44 (113)	
TTR-35R3-0					75 (22.8)			6.06 (154)	
TTR-75R0	75ft (22.8) ROLL								

NOTES:

- \* 1. MINIMUM 2" (50.8mm) OVERLAP REQUIRED TO ACHIEVE LOOP TENSILE RATING.
- 2. COLOR: BLACK
- 3. A MAXIMUM OF ONE SPLICE PER ROLL IS ACCEPTABLE. SPLICE TO BE A 2" OVERLAP OF MATERIAL.

TITLE <b>TAK-TAPE ROLLS TTR SERIES</b>									
CUSTOMER DRAWING									
ITEM REVISION NAME <b>F00555BD/00</b>					<b>PANDUIT</b>				
DATASET FILE NAME <b>F00555BD_DC/00D</b>									
UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN (mm)									
.x ± .1 [ 2.54 ]					.xxx ± .030 [ .127 ]				
.xx ± .01 [ .25 ]					ANGLES ±				
					THIRD ANGLE PROJECTION				
					DRAWING NUMBER: <b>00555BD-01</b>				
DRAWN BY <b>JSP</b>	DATE <b>1/5/17</b>	CHK <b>DWW</b>	SCALE <b>NONE</b>	SHT 1 OF 1			SIZE <b>A</b>		

REV	DATE	BY	CHK	APR	DESCRIPTION	ECN
00D	01-14-19	SAT	DWW	ML	C. REMOVED APPROXIMATE WEIGHT COLUMN. D. UPDATED MATERIAL. REMOVED PREVIOUS REVISION HISTORY FOR CLARITY	00555BD-01

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View TTR-20R0 on WIN SOURCE](#)

 [Panduit Corp](#) Information

## Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management