



**THE DATASHEET OF
M22-2510146**



Customer Information

S

DRAWING No.: M22-251XXXX


SHEET 2 OF 2

IF IN DOUBT - ASK

(C)


NOT TO SCALE

THIRD ANGLE PROJ



ORDER CODE:
M22-251XXXX
 No. OF CONTACTS:
 02 TO 20, 25, 40, 50
 FINISH:
 05 = GOLD OVER NICKEL
 46 = 100% TIN OVER NICKEL

SPECIFICATIONS:
 MATERIAL: NYLON
 MOULDING = NYLON
 CONTACTS = PHOS
 FINISH:
 05 = GOLD
 46 = 100% TIN
 ELECTRICAL:
 CURRENT RATING
 VOLTAGE PROOF =
 CONTACT RESISTA
 INSULATION RESI
 MECHANICAL:
 DURABILITY = 30
 INSERTION FORCE
 WITHDRAWAL FORC
 ENVIRONMENTAL:
 TEMPERATURE RAN
 PACKING:
 BAG
 FOR COMPLETE SPEC
 COMPONENT SPECIFI



NOTES:
 1. ALL TOLERANCES ARE ±0.20 UNLESS OTHERWISE STATED.

HARWIN

www.harwin.com
 technical@harwin.com

THIS DRAWING AND ANY
 INFORMATION OR DESCRIPTIVE
 MATTER SET OUT HEREON ARE
 CONFIDENTIAL AND COPYRIGHT
 PROPERTY OF THE HARWIN
 GROUP AND MUST NOT BE
 DISCLOSED, LOANED, COPIED
 OR USED FOR MANUFACTURING,
 TENDERING OR FOR ANY
 OTHER PURPOSE WITHOUT
 THEIR WRITTEN PERMISSION.



TOLERANCES
~~X.X = ± 1mm
 X.XX = ± 0.50mm
 X.XXX = ± 0.10mm
 X.XXX = ± 0.01mm~~
 ANGLES = ± 5°
 UNLESS STATED

MATERIAL: SEE ABOVE
 FINISH: SEE ABOVE
 S/AREA: mm²

RECOMMENDATIONS
 (TOLERANCES)

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View M22-2510146 on WIN SOURCE](#)
-  [Harwin Inc. Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management