



THE DATASHEET OF
972-009-01SR071



LINE BACKSHELL - 9 POSITION

972-009-01SRYY1

SERIES _____
POSITIONS _____
009

MATERIAL _____
01S = PLASTIC/SLIM LINE


COLOR: _____
01 = BLACK
03 = LIGHT GREY
04 = GREEN
06 = RED
07 = BLUE
08 = YELLOW
11 = DEC GREY

PUT-UPS _____
1 = KIT

AMP

FOR STRAIN RELIEF SCREWS = 4 INCH POUNDS MAX.

— F MAX. CABLE Ø



	A	B	C	D	E	F
INCHES	± 0.032	± 0.012	± 0.020	± 0.020	± 0.020	
MM	± 0.80	± 0.30	± 0.50	± 0.50	± 0.50	
INCHES	1.240	.984	1.339	.591	1.858	.315
MM	31.50	24.99	34.00	15.00	47.20	8.00

(TOL.)

****SEE PAGE 2 FOR
PANTONE COLOR CODES**

- UL 94H-B
(SEE SHEET 2)
BLACK OXIDE (FOR BLACK HOODS)
ELECTROPLATED (FOR COLORED HOODS)

TO +110°C



THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF NorComp AND SHALL NOT BE REPRODUCED, COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OF APPARATUS WITHOUT WRITTEN PERMISSION.

DRAWN: _____ DATE: **07-06-15**
M. SIGMON

CHECKED: _____ DATE: _____

SCALE: _____ SHEET **1** OF **2**


REV **0**

DWG NO. **972-009-01SRYY1**

APPLIANT

NorComp

COLOR RANGE	
UPPER	LOWER
LACK	PANTONE BLACK 3C
GHGT GREY	427C
REEN	7731C
ED	186C
BLUE	2190C
ELLOW	108C
EC GREY	7527C
	7534C

	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF NorComp AND SHALL NOT BE REPRODUCED, COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OF APPARATUS WITHOUT WRITTEN PERMISSION.		
	DRAWN:	DATE:	
NorComp	M. SIGMON	07-06-15	
SCALE:	CHECKED:	DATE:	
DWG NO.	SHEET	OF	REV
972-009-01SRYY1	2	2	0

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View 972-009-01SR071 on WIN SOURCE](#)

 [NorComp Inc. Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management