





**THE DATASHEET OF
CI2502P1H00-LF**






Material:
 * Insulation: Nylon 46 UL 94V-0
 Color Nature
 * Contact: Brass

Ordering Code:

C152 ** P 1 V 00 -LF
 ① ② ③ ④ ⑤ ⑥ ⑦

- ① Series No.
- ② No. of Circuits:
- ③ P = Pin header
- ④ Plating: 1 = 3.05µm(120µ”) Min. Tin over
 2 = Gold flash plated over
 1.27µm(50µ”) Nickel
 (Matte Tin Plated)

- ⑤ Type: V = Straight
- ⑥ Other option: 00 = Standard
- ⑦ LF = For Lead Free IR Processes



Circuits	Dimension	
	A	B
2	3.96(.156)	7.8(.307)
3	7.92(.312)	11.8(.465)
4	11.88(.468)	15.8(.622)
5	15.84(.624)	19.7(.776)
6	19.80(.780)	23.7(.933)
7	23.76(.936)	27.6(1.087)
8	27.72(1.091)	31.6(1.244)
9	31.68(1.247)	35.5(1.398)
10	35.64(1.403)	39.5(1.555)
11	39.60(1.559)	43.5(1.713)
12	43.56(1.715)	47.4(1.866)

∅1.80±0.1
 .071±.004

Recommended P.C. Board Layout

RoHS Compliant



Lead Free Process

DRAWN BY: Bill		DATE: 02/20-08'		UNIT: mm / inch		TOLERANCE (UNLESS OTHERWISE SPECIFIED)		TITLE: 3.96MM(.156") STRAIGHT HEADERS	
ENGINEER: Easley		02/22-08'		X ± 0.38/.015		X* ± 1"		MATERIAL:	
CHECKED BY: David		02/22-08'		XX ± 0.25/.010		X* ±		FINISH:	
APPROVED BY: Alex		02/22-08'		.XXX ± 0.10/.004		.X* ±		DRAWING NO. C152S1SC	
								PART NO. C152**P*V00-LF	
								SCALE 3 / 1	
								SHEET 1 OF 1	

瀚基股份有限公司
 Cvilux Corporation

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View CI2502P1H00-LF on WIN SOURCE](#)
-  [Cvilux USA Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management