




**THE DATASHEET OF
FX2-20P-1.27DS(71)**



Jul.1.2024 Copyright 2024 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
 In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.



| COUNT | DESCRIPTION OF REVISIONS | BY | CHKD | DATE | COUNT | DESCRIPTION OF REVISIONS | BY | CHKD | DATE |
|-------|--------------------------|----|------|------|-------|--------------------------|----|------|------|
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

| HRS No. | PART No. | 1 | A | B | C | 2 |
|---------------------|-----------------|-----|-------|-------|-------|----|
| FX2-20P-1.27DS(71) | CL572-2601-6-71 | 20 | 22.75 | 11.43 | 18.05 | 10 |
| FX2-32P-1.27DS(71) | CL572-2602-9-71 | 32 | 30.37 | 19.05 | 25.67 | 16 |
| FX2-40P-1.27DS(71) | CL572-2603-1-71 | 40 | 35.45 | 24.13 | 30.75 | 20 |
| FX2-52P-1.27DS(71) | CL572-2604-4-71 | 52 | 43.07 | 31.75 | 38.37 | 26 |
| FX2-60P-1.27DS(71) | CL572-2605-7-71 | 60 | 48.15 | 36.83 | 43.45 | 30 |
| FX2-68P-1.27DS(71) | CL572-2606-0-71 | 68 | 53.23 | 41.91 | 48.53 | 34 |
| FX2-80P-1.27DS(71) | CL572-2607-2-71 | 80 | 60.85 | 49.53 | 56.15 | 40 |
| FX2-100P-1.27DS(71) | CL572-2608-5-71 | 100 | 73.55 | 62.23 | 68.85 | 50 |
| FX2-120P-1.27DS(71) | CL572-2609-8-71 | 120 | 86.25 | 74.93 | 81.55 | 60 |

NOTE 1 NUMBER OF PIN.
 2 INDICATIONS.
 3 THE DIMENSIONS IN PARENTHESES ARE FOR REFERENCE.

| | | | | | | | |
|----------------|------------------------------|-----------------|---------|---------------------|-----------------|---|----------|
| 1,2 | POLYAMIDE | BLACK | UL94V-0 | 3~6 | PHOSPHOR BRONZE | CONTACT AREA:GOLD 0.2μ m min. DIP AREA:TIN-PLATING 2μ m min. UNDER PLATING:NICKEL 2μ m min. | |
| NO. | MATERIAL | FINISH, REMARKS | | NO. | MATERIAL | FINISH, REMARKS | |
| CODE NO. (OLD) | DRAWN | | | DESIGNED | CHECKED | APPROVED | RELEASED |
| | A.SUZUKAWA | | | <i>M. Nakamura</i> | <i>K. Ogawa</i> | <i>H. Okawa</i> | |
| | 06.10.19 | | | 06.10.19 | 06.10.20 | 06.10.20 | |
| SCALE | DRAWING NO. | | | PART NO. | | | |
| FREE | EDC3-083293-21 | | | FX2-***P-1.27DS(71) | | | |
| UNITS | HRS HIROSE ELECTRIC CO., LTD | | | CODE NO. | | | |
| mm | | | | CL572 | | | 1/1 |

TO
 PCK

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

- [View FX2-20P-1.27DS\(71\) on WIN SOURCE](#)
- [Hirose Electric Co Ltd Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

- ✓ Global Sourcing Solution
- ✓ Obsolete Management
- ✓ Cost Control Management
- ✓ Shortage Management
- ✓ Alternative Solution
- ✓ Excess Inventory Management