




THE DATASHEET OF VG-1





GROMMET TABLE

PART NUMBER	GROMMET TABLE				MOUNTING OPTIONS		
	DIM. "A" ±.010	DIM. "B" ±.010	PANEL THICKNESS	PANEL HOLE SIZE	DIM. "C"	DIM. "D"	METAL SCREWS VGS
VG-1	.380 [9.7]	.158 [4]	.057±.006 [1.45±0.15]	.250±.005 [6.35±0.13]	.087 [2.2]	.231 [5.9]	VGS-1
VG-2	.565 [14.4]	.188 [4.8]	.063±.006 [1.6±0.15]	.375±.005 [9.53±0.13]	.131 [3.3]	.324 [8.2]	VGS-2
VG-3	.380 [9.7]	.158 [4]	.031±.003 [0.79±0.08]	.250±.005 [6.35±0.13]	.100 [2.5]	.231 [5.9]	VGS-1
VG-4	.565 [14.4]	.188 [4.8]	.043±.004 [1.09±0.1]	.375±.005 [9.53±0.13]	.141 [3.6]	.324 [8.2]	VGS-2
VG-5	[.374] 9.5	[.142] 3.6	[.055±.006] 1.4±0.15	[.217±.005] 5.5±0.13	[.083] 2.1	[.217] 5.5	VGS-3


VGS SCREWS ARE SOLD SEPARATELY. PLEASE SEE DRAWING "VGS" FOR DIMENSIONS AND DETAILS



VG-1 TO VG-4



VG-5



- NOTES:
 1. MATERIAL: NEOPRENE RUBBER (RMS-190)
 2. COLOR: BLACK
 3. PRIMARY DIMENSIONS ARE IN INCHES.
 SECONDARY DIMENSIONS [mm] ARE REFERENCE,
 EXCEPT FOR PART VG-5, PRIMARY UNITS ARE mm

H	SEE CO 200330 FOR CHANGES	SK	02/20/09
G	SEE CO 200079 FOR CHANGES	SK	12/04/07
F	SEE ECN #1299	SK	03/20/07
E	SEE ECN #1298	SK	03/16/07
D	SEE ECN #1294	SK	03/07/07
C	SEE ECN #1195 FOR CHANGES	SK	07/19/06
B	SEE ECN # 1031	SK	07/27/05
A	RELEASED FOR PRODUCTION	SK	07/25/05
REV.	DESCRIPTION	ENGR.	DATE

TITLE:

VIBRATION

CREATED USING SOLIDWORKS

FILE #: VG

TOLERANCES UNLESS NOTED

.XX±.010

.XXX±.005

FRAC=#/64

ANG=#±°

SHEET: 1 OF 1

SHEET

RE:

RICHCO

--

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

- [View VG-1 on WIN SOURCE](#)
- [Essentra Components Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

- ✓ Global Sourcing Solution
- ✓ Obsolete Management
- ✓ Cost Control Management
- ✓ Shortage Management
- ✓ Alternative Solution
- ✓ Excess Inventory Management