



**THE DATASHEET OF  
1107650**



# BRIDGE-PT-3-2M/0,3M - Bridge



1107650

<https://www.phoenixcontact.com/us/products/1107650>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

3-phase loop bridge for 3 CONTACTRON modules, with Push-in connection and 22.5 mm housing width, cable length between the modules: 0.3 m, connecting cable: 2 m



## Your advantages

- Considerable reduction in wiring

## Commercial data

|                                      |               |
|--------------------------------------|---------------|
| Item number                          | 1107650       |
| Packing unit                         | 1 pc          |
| Minimum order quantity               | 1 pc          |
| Sales key                            | C470          |
| Product key                          | CK74Z1        |
| GTIN                                 | 4063151009069 |
| Weight per piece (including packing) | 272.15 g      |
| Weight per piece (excluding packing) | 253.78 g      |
| Customs tariff number                | 85444290      |
| Country of origin                    | DE            |

# BRIDGE-PT-3-2M/0,3M - Bridge



1107650

<https://www.phoenixcontact.com/us/products/1107650>

## Technical data

### Product properties

|                              |             |
|------------------------------|-------------|
| Product type                 | Loop bridge |
| Product family               | CONTACTRON  |
| Number of bridgeable modules | 3           |

### Data management status

|                  |    |
|------------------|----|
| Article revision | 02 |
|------------------|----|

### Electrical properties

|                         |                      |
|-------------------------|----------------------|
| Operating voltage range | 42 V AC ... 575 V AC |
| Operating current       | ≤ 25 A               |

### Dimensions

|       |         |
|-------|---------|
| Width | 22.5 mm |
|-------|---------|

### Material specifications

|       |                 |
|-------|-----------------|
| Color | gray (RAL 7042) |
|-------|-----------------|

### Cable/line

|                         |                     |
|-------------------------|---------------------|
| Connecting cable length | 2 m                 |
| Cable cross section     | 2.5 mm <sup>2</sup> |

# BRIDGE-PT-3-2M/0,3M - Bridge



1107650

<https://www.phoenixcontact.com/us/products/1107650>

## Approvals

To download certificates, visit the product detail page: <https://www.phoenixcontact.com/us/products/1107650>



**UL Listed**

Approval ID: FILE E 172140



**cUL Listed**

Approval ID: FILE E 172140



**cUL Listed**

Approval ID: E228652



**UL Listed**

Approval ID: E228652

# BRIDGE-PT-3-2M/0,3M - Bridge



1107650

<https://www.phoenixcontact.com/us/products/1107650>

## Classifications

### ECLASS

|             |          |
|-------------|----------|
| ECLASS-11.0 | 27371392 |
| ECLASS-13.0 | 27371392 |
| ECLASS-12.0 | 27371392 |

### ETIM

|          |          |
|----------|----------|
| ETIM 9.0 | EC002498 |
|----------|----------|

### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 21.0 | 39121100 |
|-------------|----------|

# BRIDGE-PT-3-2M/0,3M - Bridge



1107650

<https://www.phoenixcontact.com/us/products/1107650>

## Environmental product compliance

### EU RoHS

|   |                    |
|---|--------------------|
| Fulfills EU RoHS substance requirements | Yes, No exemptions |
|---|--------------------|

### China RoHS

|  |  |
|--|--|
| Environment friendly use period (EFUP) | EFUP-E                                   |
|  | No hazardous substances above the limits |

### EU REACH SVHC



|                                     |                            |
|-------------------------------------|----------------------------|
| REACH candidate substance (CAS No.) | No substance above 0.1 wt% |
|-------------------------------------|----------------------------|

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View 1107650 on WIN SOURCE](#)
-  [Phoenix Contact Information](#)

## Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management