



**THE DATASHEET OF
1.85-A-JJ**



PRODUCT SPECIFICATIONS

Part number: 1.85-A-JJ
 Drawing number: V-1046396
 Nominal 1 Standard IEC 61169-32
 2 Voltage rating AC 160V
 3 Rated frequency 67GHz
 4 Impedance 50Ω
 5 Operating temperature range -55°C~+105°C

No. 1042575



		Test Items	Test Method/Value	Remarks
1	E L E C T R I C A L	Insulation resistance	5000MΩ(Min.) at DC 500V	
2		Withstanding voltage	1 minute at AC 500V	
3		Contact resistance	Inner conductor : 4.0mΩ(Max.) Outer conductor : 2.5mΩ(Max.)	
4		VSWR	DC~67GHz : 1.35(Max.)	
5	M E C H A N I C A L	Compatibility	No defects or abnormalities	Connecting with a standard-compliant connector
6		Tensile strength of coupling mechanism	447N	At axial tensile force
7		Center contact retaining force	0.25N(Min.)	With a standard pin gauge
8		Coupling torque	0.8~1.1N·m	
9				
10	O T H E R S			
11				

※The structural shape is shown in the attached drawing (Drawing number:V-1046396)



	REVISIONS	DATE
1		
2		
3		

Checked	Approved	Inspected	Prepared

GKQM-24

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View 1.85-A-JJ on WIN SOURCE](#)
-  [TYCLON Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management