



**THE DATASHEET OF
7/16-WCAP-CLIP**



PRODUCT SPECIFICATIONS

Part number: 7/16-WCAP-CLIP

No. 1062680

Drawing number: W-1065386

Nominal 1 Standard

IEC 60169-4

2 Operating temperature range -40°C ~ +85°C

3 Operating humidity range 95%(Max.) ※No condensation



	Test Items	Test Method/Value	Remarks
1	M E C H A N I C A L	Compatibility	No defects or abnormalities
2		Tensile strength of coupling mechanism	445N
3		Coupling torque	5.0~10.0N·m
4	E N V I R O N M E N T A L	Waterproof	IPX7

※The structural shape is shown in the attached drawing (Drawing number:W-1065386)



	REVISIONS	DATE
1		
2		
3		

Checked	Approved	Inspected	Prepared

GKQM-24

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View 7/16-WCAP-CLIP](#) on WIN SOURCE
-  [TYCLON](#) Information

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management