



THE DATASHEET OF BNC-Y-JPJ



PRODUCT SPECIFICATION

Part number: BNC-Y-JPJ

No. 0390289

Drawing number: Y-0391254-TC

Nominal 1 Standard MIL-C-39012
 2 Voltage rating AC 500V
 3 Frequency range 4GHz
 4 Impedance 50Ω
 5 Operating Temperature Range -40°C ~ +60°C



		Test Items	Procedures/Test Method	Requirements
1 S T R U C T U R E		Design and Construction	Specified on relevant product drawing (Drawing number: Y-0391254-TC)	No defects or abnormalities
	2	Materials		
	3	Finish		
4 E L E C T R I C A L		Insulation Resistance	DC 500V	1000 MΩ (Min.)
	5	Withstand voltage	1 minute at AC 1500V	No defects or abnormalities
6 M E C H A N I C A L		Compatibility	Mating with connector complying with the standard	No defects or abnormalities
	7	Center contact retaining force	When the retaining force is measured with a standard pin gauge	0.98N(Min.)

	REVISIONS	DATE
1		
2		
3		

Checked	Approved	Proof mark	Prepared
 三 23.06.19 村	 山 23.06.19 本	 檜 23.06.19 澤	 渡邊 '23.06.19 直弘

GKQM-7

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View BNC-Y-JPJ on WIN SOURCE](#)

 [TYCLON Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management