





ZW Type (ZW 型)



| Part No 料号 | Type 类型 | L±3 | d±0.05 | O±1 |
|------------|---------|-------|--------|-------|
| ZWA0 | ZW-A | 60/34 | 0.45 | 52 26 |
| ZWA1 | ZW-A1 | 60/34 | 0.50 | 52 26 |
| ZWB0 | ZW-B | 60/34 | 0.54 | 52 26 |
| ZWB1 | ZW-B1 | 60/34 | 0.60 | 52 26 |
| ZWC0 | ZW-C | 60/34 | 0.70 | 52 26 |
| ZWJ0 | ZW-J | 60/34 | 0.71 | 52 26 |
| ZWD0 | ZW-D | 60/34 | 0.75 | 52 26 |
| ZWD1 | ZW-D1 | 60/34 | 0.80 | 52 26 |

| Part No 料号 | Type 类型 | L±3 | d±0.05 | O±1 |
|------------|---------|-------|--------|-------|
| ZWE0 | ZW-E | 60/34 | 1.00 | 52 26 |
| ZWH0 | ZW-H | 60/34 | 1.20 | 52 26 |
| ZWM0 | ZW-M | 60/34 | 1.30 | 52 26 |
| ZWK0 | ZW-K | 60/34 | 1.50 | 52 26 |
| ZWF0 | ZW-F | 60/34 | 1.60 | 52 26 |
| ZWG0 | ZW-G | 60/34 | 1.80 | 52 26 |
| ZWI0 | ZW-I | 60/34 | 2.00 | 52 26 |

ZO Type (ZO 型)




| Part No 料号 | Type | Power Rating 额定功率 | Dimension (尺寸)(mm) | | | | Resistance Range 阻值范围 (≤mΩ) |
|---------------|-------|-------------------|--------------------|---------|--------|-----|-----------------------------|
| | | | D±0.3 | L | d±0.05 | H±3 | |
| ZOT0W8/ZOC0W8 | ZO-12 | 1/8W | 1.9 | 3.3±0.3 | 0.45 | 28 | ZOT: 10 ZOC: 40 |
| ZOT0W4/ZOC0W4 | ZO-25 | 1/4W | 2.2 | 6.5±1.0 | 0.54 | 28 | |

Performance Specification (性能)

| | |
|--------------------------------------|---|
| Lead material 引线材料 | Tin-Plated copper (镀锡铜线) |
| Insulation resistance 绝缘阻值 | Dry(干态)-10,000MΩ, Wet(湿态)-100MΩ |
| Dielectric withstanding voltage 绝缘耐压 | Atmospheric (正常气压) -500V RMS; Reduced (减压) -325VRMS; |
| Rated current 额定电流 | 1/8W 70°C 1.5A, 1/4W 70°C 2.5A Derating to 0 Amps at 150°C 1/8W 70°C 1.5A, 1/4W 70°C 2.5A 150°C时, 电流降低到 0A |

Ordering Procedure (Example: ZOC 1/4W 0Ω T/R-5000)

订购方式(例如: ZOC 1/4W 0Ω T/R-5000)



New/Old Part.no Contrast (新旧料号对照)

| New Part.no 新料号 | Old Part.no 旧料号 | New Part.no 新料号 | Old Part.no 旧料号 |
|-----------------|-----------------|-----------------|-----------------|
| ZOC0**00000A*0 | CFR0**00000A*0 | ZWB10000000A*0 | ZWF00000000A*0 |
| ZOT0**00000A*0 | ZO00**00000A*0 | ZWE00000000A*0 | ZWF00000000A*0 |

*M-type jumpers can be customized on request *M型跳线可特别提供

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View 1206W4F5102T5E on WIN SOURCE](#)

 [Royal Ohm Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management