




**THE DATASHEET OF
5030992-XX**




cell type:	NiMH	Conditions
cell size:	AA	
nominal voltage:	1.2 V	
max. charge voltage:	1.5 V	at standard charge (0.1C / 20°C)
capacity		
nominal:	2100 mAh	discharge at 0.2C
minimum:	2100 mAh	discharge at 0.2C
	2000 mAh	discharge at 1C
		1.0V end discharge voltage
		ta: 20°C
max. continuous discharge current:	5000 mA	ta: 0...45°C
charge		
standard charge:	current 210 mA	time 14....16hrs
quick charge:	600 mA	4hrs
fast charge:	2100 mA	1.1hrs
recommended charge termination control parameters:	0...5 mV 0.8...1 °C 45...50 °C	- ΔV (-deltaV) temperature rise per minute TCO (temperature cut off)
trickle charge current:	10...40 mA	(recommended)
continuous overcharge: (less than 1 year)	≤ 200 mA	no conspicuous deformation no leakage
internal resistance: (impedance)	≤ 40 mΩ	at 1KHz battery fully charged
life expectancy:	≥ 500 cycles	acc. IEC standard
self discharge		
charge retention:	≥ 80 %	after 12 months storage at 20°C
initial capacity:	≥ 1400 mAh	within 30 days after delivery discharge at 0.2C
ambient temperature range:	0...45 °C 10...40 °C - 20...65 °C - 20...50 °C - 20...40 °C - 20...30 °C	standard charge fast charge discharge storage (≤3months) storage (≤6months) storage (≤24months)
QCT1:	20/2000/35	
QCT2:	30/1900/40	

Diagrams


standard charge




fast charge



low rate discharge





high rate discharge



mechanical specifications

cell dimensions		
diameter d1:		14.4 - 0.7 mm
diameter d2:	max.	5.5 mm
height h1:		50.5 - 0.5 mm
height h2:	min.	1.2 mm
weight:		28 ± 2 g



	ANSMANN Specifications for model:	NiMH Battery
	data sheet no. / part no.	AA - 2100mAh low self discharge
	s.n.	702069
	author / date	TG / 18.06.2024

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

- [View 5030992-XX on WIN SOURCE](#)
- [ANSMANN \(Huizhou\) Trading CO., LTD Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

- ✓ Global Sourcing Solution
- ✓ Obsolete Management
- ✓ Cost Control Management
- ✓ Shortage Management
- ✓ Alternative Solution
- ✓ Excess Inventory Management