



THE DATASHEET OF
2743037447




** Not all features are shown in this drawing. For more detailed information, please contact your Fair-Rite representative.

UNCONTROLLED ~CATALOG~ DRAWING

SIZE
B

FR# 2673737011
1.27mm X 0.20mm [.050 X" X .008"] FLAT WIRE
FR# 0100017101



ELECTRICAL
IMPEDANCE
25 MHz
45 Min.

NOTES:
DIMENSIONS
BOLD NUMBERS ARE IN MILLIMETERS
LIGHT NUMBERS ARE IN INCHES

- 1 - WIRE IS OXYGEN FREE, HIGH CONDUCTIVITY COPPER.
- 2 - WIRE MEETS FAIR-RITE PRODUCTS CORP. SOP# ELC-57, FOR SOLDERABILITY.
- 3 - THIS PART MEETS FAIR-RITE PRODUCTS VISUAL INSPECTION CRITERIA FOR SURFACE MOUNT SHIELD BEADS.
- 4 - PART MEETS FAIR-RITE PRODUCTS SOP# ELC-27, FOR THERMAL SHOCK RESISTANCE.
- 5 - IMPEDANCE MEASURED ON A HP4191A, USING A 16092A TEST FIXTURE.
- 6 - THIS PART IS SUPPLIED TAPED AND REELED

FR# 43

FAIR-RITE		TITLE WIDE BODY	
DRAWN BY	DATE	SIZE	
D. FOOTE	8/23/2019	B	
CHKD BY			
APPRVD BY			SCA

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View 2743037447 on WIN SOURCE](#)

 [FAIR-RITE PRODUCTS](#) Information

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management