



**THE DATASHEET OF**  
**2761019447**




\*\* Not all features are shown in this drawing. For more detailed information, please contact your Fair-Rite representative.

UNCONTROLLED ~ CATALOG ~ DRAWING

SIZE  
B

1.27 X 0.20 [.050 X .008] FLAT WIRE  
FR# 0100017101



ELECTRICAL SPECIFICATIONS

IMPEDANCE	100 MHz	250 MHz
	29 Min.	39 Max.

DIMENSIONS  
**BOLD NUMBERS ARE IN MILLIMETERS**  
LIGHT NUMBERS ARE IN INCHES

NOTES:

- 1 - WIRE IS OXYGEN FREE, HIGH CONDUCTIVITY COPPER.
- 2 - WIRE MEETS FAIR-RITE PRODUCTS CORP. SOP# ELC-57, FOR SOLDERABILITY.
- 3 - THIS PART MEETS FAIR-RITE PRODUCTS VISUAL INSPECTION CRITERIA FOR SURFACE MOUNT BEADS.
- 4 - PART MEETS FAIR-RITE PRODUCTS SOP# ELC-27, FOR THERMAL SHOCK RESISTANCE.
- 5 - IMPEDANCE MEASURED ON A HP4191A USING A HP16092A TEST FIXTURE, WITH FIXTURE COMPENSATION
- 6 - PART IS SUPPLIED TAPED AND REELED

FR# 61

		TITLE		FAIR-RITE SURFA
		DRAWN BY	DATE	SIZE
		D. FOOTE	9/27/2019	B
		CHKD BY		
		APPRVD BY		SCA

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View 2761019447 on WIN SOURCE](#)

 [FAIR-RITE PRODUCTS](#) Information

## Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management