



**THE DATASHEET OF
JMK105BJ224ME-R**



TAIYO YUDEN LOW PROFILE MLCC

TAIYO YUDEN Low Profile Ceramic Capacitors are characterized by a small footprint of 0402/1005 EIA/JIS case size. These MLCCs possess a low equivalent series resistance (ESR) for effective noise absorption. The small footprint of low profile ceramic capacitors makes them ideal for use in cellular phones, wireless applications, power supply bypass capacitors, and for smoothing capacitors.

Specifications Available:

Capacitance: 0.1 μ F-1 μ F

Height: 0.15mm to 0.2mm

Cases Sizes: 0402/1005 (EIA/JIS)

Rated Voltage: 4Vdc to 10Vdc

Capacitance Tolerance: \pm 10% to \pm 20%

Temperature Characteristic: X5R

Temperature Range: -55°C to 85°C

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View JMK105BJ224ME-R on WIN SOURCE](#)

 [Taiyo Yuden Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management