



**THE DATASHEET OF**  
**09670005576**



## D SUB MA turned contact\_AWG 22-26\_PL1



Image is for illustration purposes only. Please refer to product description.

Part number	09 67 000 5576
Specification	D SUB MA turned contact_AWG 22-26_PL1
HARTING eCatalogue	<a href="https://harting.com/09670005576">https://harting.com/09670005576</a>

### Identification

Category	Contacts
Series	D-Sub
Identification	Standard
Type of contact	Crimp contact

### Version

Termination method	Crimp termination
Gender	Male
Manufacturing process	Turned contacts

### Technical characteristics

Conductor cross-section (mm <sup>2</sup> )	0.13 ... 0.33 mm <sup>2</sup>
Conductor cross-section (AWG)	AWG 26 ... AWG 22
Contact resistance	≤10 mΩ
Stripping length	4.5 mm
Performance level	1 acc. to CECC 75301-802

### Material properties

Material (contacts)	Copper alloy
Surface (contacts)	Noble metal over Ni
RoHS	compliant
ELV status	compliant



**Pushing Performance**  
Since 1945

## Material properties

China RoHS	e
REACH Annex XVII substances	Not contained
REACH ANNEX XIV substances	Not contained
REACH SVHC substances	Not contained
California Proposition 65 substances	Yes
California Proposition 65 substances	Lead Nickel

## Commercial data

Packaging size	100
Net weight	0.13 g
Country of origin	Switzerland
European customs tariff number	85366990
GTIN	5713140086609
eCl@ss	27440204 Contact for industrial connectors
ETIM	EC000796
UNSPSC 24.0	39121522

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View 09670005576](#) on WIN SOURCE

 [HARTING](#) Information

## Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management