


** Not all features are shown in this drawing. For more detailed information, please contact your Fair-Rite representative.

UNCONTROLLED ~CATALOG~ DRAWING

SIZE
B



ELECTRICAL SPECIFICATION

IMPEDANCE [Ohms]	
25 MHz	100 MHz
200 Min.	300 Min.

DIMENSIONS
BOLD NUMBERS ARE IN MILLIMETERS
 LIGHT NUMBERS ARE IN INCHES

NOTES:

- 1 - PARTS MEET FAIR-RITE PRODUCTS CORP. VISUAL INSPECTION CRITERIA FOR GENERIC SURFACE MOUNT BEADS.
- 2 - WIRE MEETS FAIR-RITE PRODUCTS CORP. SOP# ELC-57, FOR SOLDERABILITY.
- 3 - PART MEETS FAIR-RITE PRODUCTS SOP ELC-27 FOR THERMAL SHOCK RESISTANCE.
- 4 - IMPEDANCE MEASURED USING AN HP4191A ON A 16092A TEST FIXTURE.
- 5 - THIS PART IS SUPPLIED TAPED & REELED

FR# 44

		TITLE 1-1/2 TUF	
		DRAWN BY D. FOOTE	DATE 8/26/2019
		CHKD BY	SIZE B
		APPROV BY	SCA

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View 2744555567 on WIN SOURCE](#)

 [FAIR-RITE PRODUCTS](#) Information

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management