



THE DATASHEET OF APAMS-121



Dual Band Wifi/Bluetooth Antenna

APAMS-121

RoHS/RoHS II compliant

Lead in copper alloy exemption (6c); and Lead in glass exemption (7c-1)



86.0 x Ø10.0mm

MSL level: Not Applicable

FEATURES:

- High Reliability/ Sensitivity
- Compact Size
- Easy to install
- ROHS Compliant

TYPICAL APPLICATIONS:

- Bluetooth
- WiFi 2.4GHz and 5GHz
- Routers

ELECTRICAL SPECIFICATIONS:

Parameter	Specification			Units	Note
	Min	Typ	Max		
Frequency Range	2.4		2.5	GHz	
	5.0		6.0		
VSWR			2.5		
Polarization	Vertical				
Impedance		50		Ω	
Gain			2.5	dBi	
Azimuth	Omni-directional				
Power Handling Capacity	50			W	
Lighting Protection	Direct Current earth				

MECHANICAL SPECIFICATION:

Parameter	Specification	Note
Connector	SMA-RP	
Cable Type	RG-178	Inside the enclosure, 50 Ω
Radiator	Cuprum	
Enclosure	TPE	
Base	PBT + PC	
Radome Color	Black	

ENVIRONMENTAL SPECIFICATION:

Parameter	Specification	Note
RoHS Compliant	Yes	
MSL	N/A	
Operating temperature	-40 °C to +60 °C	
Storage temperature	-20 °C to +40 °C	

Dual Band Wifi/Bluetooth Antenna


APAMS-121

RoHS/RoHS II compliant
Lead in copper alloy exemption (6c); and Lead in glass exemption (7c-1)



MSL level: Not Applicable

VSWR



Dual Band Wifi/Bluetooth Antenna


APAMS-121

RoHS/RoHS II compliant
Lead in copper alloy exemption (6c); and Lead in glass exemption (7c-1)



MSL level: Not Applicable

RADIATION PATTERN



Dual Band Wifi/Bluetooth Antenna


APAMS-121

RoHS/RoHS II compliant
Lead in copper alloy exemption (6c); and Lead in glass exemption (7c-1)



86.0 x Ø10.0mm


OUTLINE DRAWING:



Unit: mm

PACKAGING:

Package Type	Quantity
Plastic bag	1 pcs/ Plastic bag
Outer Box	1000 pcs/box



Outer box

CAUTION:

- (1) Do not apply excess mechanical stress to the component body or terminations. Do not attempt to re-form or bend the components as this will cause damage to the component.
- (2) Do not expose the component to open flame.
- (3) This specification applies to the functionality of the component as a single unit. Please insure the component is thoroughly evaluated in the application circuit.

ATTENTION: Abracon LLC's products are COTS – Commercial-Off-The-Shelf products; suitable for Commercial, Industrial and, where designated, Automotive Applications. Abracon's products are not specifically designed for Military, Aviation, Aerospace, Life-dependant Medical applications or any application requiring high reliability where component failure could result in loss of life and/or property. For applications requiring high reliability and/or presenting an extreme operating environment, written consent and authorization from Abracon LLC is required. Please contact Abracon LLC for more information.




1501 Hidden Creek Lane Spicewood TX 78751
Phone: 949-546-8000 | Fax: 949-546-8001
For terms and conditions of sales visit:
www.abracon.com

REVISED: 12/18/2019

ABRACON IS
ISO9001-2015
CERTIFIED

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View APAMS-121](#) on WIN SOURCE

 [Abracon LLC](#) Information

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management