



Azoteq Product Information Notice: PIN-230172-IQS72xxx Power Mode Information

Issued Date: February 2023

Effective Date: n/a

1 Introduction

This section provides the list of part numbers where caution is advised on certain scenarios that could lead to higher-than-expected power consumption with order codes as listed below.

1.1 Detailed Part Number List

- IQS7210A001QNR
- IQS7211A001CSR/QNR, IQS7211A101CSR/QNR,
- IQS7211E001QNR
- IQS7219A001QNR, IQS7219A002QNR
- IQS7221E001QNR/QFR
- IQS7222A001CSR/QNR/QFR
- IQS7222B001QNR, IQS7222B101QNR, IQS7222B102QNR
- IQS7222C101CSR/QNR, IQS7222C102QNR
- IQS7222D001QNR
- IQS7223C001CSR/QNR
- IQS7225A001QNR



1.2 Description of a Potential Power Consumption Increase

All the part numbers listed in the previous section offer flexible power modes. Depending on the application setup, these parts are at risk of higher-than-expected average ULP power consumption.

This potential power-mode-dependent issue is described below:

- Power modes determine the way in which sensing and sleep cycles are processed on the sensor. For more information on power mode handling, please refer to the respective datasheets.
- When enabling the lowest power mode, ultra-low power (ULP), the sensing circuit is set up in a way that allows a higher current drain on the analogue regulator during the sleep cycle.
- When the sensor wakes from the sleep cycle to start a special ultra-low power sensing cycle, an overshoot on the analogue regulator may cause an increase in the measured capacitance.
- When this increase in capacitance is more than the proximity threshold, the sensor will wake from sleep to debounce the perceived proximity event.
- When no proximity event is present, the IC will go back into the sleep cycle.
- Depending on the application setup, and the IC settings (gains and thresholds), these wake-debounce-sleep events/cycles could repeat multiple times and may lead to an increase in current consumption from the expected average value. The exact current consumption values are application dependant and can be avoided via the workarounds suggested below.

1.3 Workarounds to Improve Power Consumption

The recommended workarounds are as follows:

- Select a less sensitive proximity threshold or
- Disable ULP and opt for alternate low-power (LP) settings that may better suit the application

If the application has a low current power consumption target along with a sensitive proximity threshold requirement, it is recommended to move to an alternate part with a different order code as indicated in the respective datasheets.



Contact Information

	USA	Asia	South Africa
Physical Address	11940 Jollyville Suite 120-S Austin TX 78759 USA	Room 501A, Block A, T-Share International Centre, Taoyuan Road, Nanshan District, Shenzhen, Guangdong, PRC	1 Bergsig Avenue Paarl 7646 South Africa
Postal Address	11940 Jollyville Suite 120-S Austin TX 78759 USA	Room 501A, Block A, T-Share International Centre, Taoyuan Road, Nanshan District, Shenzhen, Guangdong, PRC	PO Box 3534 Paarl 7620 South Africa
Tel	+1 512 538 1995	+86 755 8303 5294 ext 808	+27 21 863 0033
Email	info@azoteq.com	info@azoteq.com	info@azoteq.com

Visit www.azoteq.com
for a list of distributors and worldwide representation.

Patents as listed on www.azoteq.com/patents-trademarks/ may relate to the device or usage of the device.

Azoteq®, Crystal Driver®, IQ Switch®, ProxFusion®, LightSense™, SwipeSwitch™, and the  logo are trademarks of Azoteq.


The information in this Datasheet is believed to be accurate at the time of publication. Azoteq uses reasonable effort to maintain the information up-to-date and accurate, but does not warrant the accuracy, completeness or reliability of the information contained herein. All content and information are provided on an “as is” basis only, without any representations or warranties, express or implied, of any kind, including representations about the suitability of these products or information for any purpose. Azoteq disclaims all warranties and conditions with regard to these products and information, including but not limited to all implied warranties and conditions of merchantability, fitness for a particular purpose, title and non-infringement of any third party intellectual property rights. Azoteq assumes no liability for any damages or injury arising from any use of the information or the product or caused by, without limitation, failure of performance, error, omission, interruption, defect, delay in operation or transmission, even if Azoteq has been advised of the possibility of such damages. The applications mentioned herein are used solely for the purpose of illustration and Azoteq makes no warranty or representation that such applications will be suitable without further modification, nor recommends the use of its products for application that may present a risk to human life due to malfunction or otherwise. Azoteq products are not authorized for use as critical components in life support devices or systems. No licenses to patents are granted, implicitly, express or implied, by estoppel or otherwise, under any intellectual property rights. In the event that any of the abovementioned limitations or exclusions does not apply, it is agreed that Azoteq’s total liability for all losses, damages and causes of action (in contract, tort (including without limitation, negligence) or otherwise) will not exceed the amount already paid by the customer for the products. Azoteq reserves the right to alter its products, to make corrections, deletions, modifications, enhancements, improvements and other changes to the content and information, its products, programs and services at any time or to move or discontinue any contents, products, programs or services without prior notification. For the most up-to-date information and binding Terms and Conditions please refer to www.azoteq.com.

info@azoteq.com

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View IQS7222C101CSR on WIN SOURCE](#)

 [Azoteq \(Pty\) Ltd Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management