



**THE DATASHEET OF
ML414H-IV01E**



NEW

High capacity, Pb-free reflowable Rechargeable battery

ML414H

SII



ML414H is a rechargeable, coin type battery with features such as Pb-free reflowable (Peak temperature: 260 °C) and high temperature heat resistance.

Features

- RoHs Compliant
- Pb-free reflowable
- Increased capacity by 7 times compared with the HB series.

Applications


Backup power supply for RTC(Real-time Clock) and Memory

Cellphone, Digital Still Camera, MP3 Player, PDA etc.

Specifications

Type	Nominal Voltage	Nominal Capacity (Voltage Range)	Internal Impedance	Size		Weight
				Diameter	Height	
ML414H	3.0V	1.0mAh (3.1V-2.0V)	600Ω	4.8mm	1.4mm	0.07g

Characteristics



The information herein is subject to change without notice.

www.sii-components.com

Seiko Instruments Inc. Micro Energy Division



1-8, Nakase, Mihama-ku, Chiba-shi, Chiba 261-8507 Japan
TEL:+81-43-211-1735 FAX:+81-43-211-8034



We value the "takumi" spirit.

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View ML414H-IV01E on WIN SOURCE](#)
-  [SII Semiconductor Corporation Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management