



THE DATASHEET OF NCT1781Y TR

Voltage Level Shift IC

Part No.	NCT1781Y
Datasheet	 Request PDF
Description	The NCT1781Y provides frequency for 27MHz and 100MHz outputs through using a 27MHz input crystal or frequency source. The 100MHz output employ Spread Spectrum techniques to minimize the system EMI emissions and frequency accuracy +/-30ppm required for the GPU application. And the 27MHz is a buffered output of the 27MHz input source without spreading.
Features	› 3.3V 27MHz clock output › 3.3V 100MHz clock output, support spreading › 9 selections of spread spectrum type/range › Frequency Precision : ± 30ppm for both 100MHz and 27MHz › 3.3V Power Supply
Diagram	N/A
Package	10-pin DFN Green package (Halogen- free)
Other Files	N/A
Development Tools	N/A
Others	N/A

Contact us: ComputerIC@nuvoton.com



Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

- ⊖ [View NCT1781Y TR on WIN SOURCE](#)
- ⊖ [Nuvoton Technology Corporation of America](#) Information

Optimize Your Supply Chain with WIN SOURCE Solutions

- ✓ Global Sourcing Solution
- ✓ Obsolete Management
- ✓ Cost Control Management
- ✓ Shortage Management
- ✓ Alternative Solution
- ✓ Excess Inventory Management