




**THE DATASHEET OF  
ORWH-SS-112D1F**




LOC	DIST	REVISIONS			
HB		P	LTR	DATE	DWN
		D		24APR12	BLL
DESCRIPTION				DATE	DWN
PN, DBSOLETE ECCD-12-004810				24APR12	BLL
				DATE	APVD
					BHY

STATUS	PART NO	PART B	PART A	ITEM
DBSOLETE	1721150-1	3V	ORWH-SS-105D1F	A
ACTIVE	1721150-2	5V	ORWH-SS-105D1F	B
ACTIVE	1721150-3	6V	ORWH-SS-105D1F	C
ACTIVE	1721150-4	9V	ORWH-SS-105D1F	D
ACTIVE	1721150-5	12V	ORWH-SS-112D1F	E
DBSOLETE	1721150-6	18V	ORWH-SS-118D1F	F
ACTIVE	1721150-7	24V	ORWH-SS-124D1F	G
ACTIVE	1721150-8	48V	ORWH-SS-148D1F	H
DBSOLETE	1-1721150-0	3V	ORWH-SH-105D1F	J
ACTIVE	1-1721150-1	6V	ORWH-SH-105D1F	K
DBSOLETE	1-1721150-2	9V	ORWH-SH-105D1F	L
ACTIVE	1-1721150-3	12V	ORWH-SH-112D1F	M
DBSOLETE	1-1721150-4	18V	ORWH-SH-118D1F	N
ACTIVE	1-1721150-5	24V	ORWH-SH-124D1F	O
ACTIVE	1-1721150-6	48V	ORWH-SH-148D1F	P
ACTIVE	1-1721150-7	24V	ORWH-SH-124D1F	R


CIRCUIT DIAGRAM (BOTTOM VIEW)



DRILLING DIAGRAM (BOTTOM VIEW)



NOTE  
 @1.LOT NO. SYSTEM AS FOLLOWING:



	UV RESIN	UV SEAL (FOR SH)	14
	EPOXY RESIN	SEAL	13
CLASS 155 F	MW79	MAGNETIC WIRE	12
	HCP	COIL TERMINAL	11
UL94 V-0	PBT	BOBBIN	10
UL94 V-0	PBT	CASE	9
	Ag ALLOY	STATIONARY CONTACT	8
	Ag ALLOY	MOVABLE CONTACT	7
	Cu ALLOY	MOVABLE SPRING	6
	Cu ALLOY	NC TERMINAL	5
	Cu ALLOY	NO TERMINAL	4
	Cu PLATED STEEL	CORE	3
	Cu PLATED STEEL	ARMATURE FORM C	2
	NI PLATED STEEL	YOKE	1
INCOMBUSTIBILITY	TREATMENT	MATERIAL	DESCRIPTION
			ITEM

**STE** TE Connectivity

ORWH-1T Cd FREE CUSTOMER DRAWING

SIZE	GAGE CODE	DRAWING NO	RESTRICT TO
A3	00779	1721150	
SCALE	3:1	SHEET	1 of 1
REV			D

GENERAL TOLERANCE



Diagram dimension	Tolerance
0.09mm max.	±0.1mm
1 - 2.98mm	±0.2mm
3mm min.	±0.3mm

DWN	XN.ZHANG
CHK	WAYNE.PENG
APVD	MJ.HO
PRODUCT SPEC	
APPLICATION SPEC	
WEIGHT	
CUSTOMER DRAWING	

DIMENSIONS:	MM	TOLERANCES UNLESS OTHERWISE SPECIFIED:
		0 PLC ±
		1 PLC ±
		2 PLC ±
		3 PLC ±
MATERIAL	SEE MATERIAL TABLE	FINISH

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View ORWH-SS-112D1F on WIN SOURCE](#)
-  [TE Connectivity Information](#)

## Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management