



**THE DATASHEET OF
OSA-SS-212DM3,000**



3



2

1

REV'D	LOC	DIST
	HB	


REVISIONS			
P	LTR	DESCRIPTION	DATE
D1		REVISED PER ECO-11-005140	14APR11
F		THE LOGO CHANGES TO ADD LINE IDENTIFICATIONS; TERMINALS TOLERANCE CLARIFICATION	03-APR-12/HYS
		ECO-12-005305	

D



WIRING DIAGRAM (BOTTOM VIEW)

C



PC BOARD LAYOUT DIAGRAM (BOTTOM VIEW)

B

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:
	0 plc ±
	1 plc ±
	2 plc ±
	3 plc ±
	4 plc ±
ANGLES	±
FINISH	±

DWN	Huang Yunshou	
CHK	Yu Banghua	
APVD	Zhao Sunny	
PRODUCT SPEC		
APPLICATION SPEC		
WEIGHT		

NAME		TE Connectivity	
OSA-SS-212DM3,000=RELAY CUSTOMER DRAWING			
SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	G=5-1419124-6	
SCALE		SHEET	REV
4:1		1 OF 2	F

A

REVISED	DATE	BY	DESCRIPTION
3			

LOC	DIST	P	LTR	DESCRIPTION	DATE	DWN	APVD
HB	-	-	-	SEE SHEET 1	-	-	-

REVISIONS

8-8	OSA-SS-248DM3	48V	107-79015
8-7	OSA-SS-206DM3	6V	107-79015
24-9	OSA-SS-224DM3	24V	107-79015
24-6	OSA-SS-212DM3	12V	107-79015
45-3	OSA-SS-209DM3	9V	107-79015
45-2	OSA-SS-205DM3	5V	107-79015
NAME	PART A	PART B	PACKING SPEC

WIRE TYPE

INCLUDE THE SOLDER TIP.
 DIMENSIONS FOR WIDTH, THICKNESS AND DIAMETER
 DIMENSIONS FOR LENGTH

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	mm
TOLERANCES UNLESS OTHERWISE SPECIFIED:	
0 PIC	±
1 PIC	±
2 PIC	±
3 PIC	±
4 PIC	±
FINISH ANGLES	±




Diagram dimension	Tolerance
0.99mm max	±0.1mm
1 - 2.99mm	±0.2mm
3mm min.	±0.3mm

APVD	CHK	DWN	INCOMBUSTIBILITY	NOTES	FINISH	MATERIAL	DESCRIPTION	ITEM
Zhang, Sunny	Yu, Banghua	Huang Yunshou						
Product spec								
Application spec								
Weight								
CUSTOMER DRAWING		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO			
		A3	00779	5-1419124-6				
		SCALE	SHEET	REV				
		5:1	2 OF 2	F				



OSA-SS-212DM3,000=RELAY CUSTOMER DRAWING

A



B

C

D

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View OSA-SS-212DM3,000 on WIN SOURCE](#)
-  [TE Connectivity Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management