



**THE DATASHEET OF
FCC17E09SB280**



REVISIONS				
SYM	ZONE	EGN, ERN NO.	DATE	APPRO.
A		PRODUCT DRAWING	99/09/23	K.L.

THIS IS A CAD DRAWING. DO NOT MANUALLY REVERSE!

ORDERING CODE: E C C 1 7 - E 0 9 P B - 4 4 0 G

SERIES _____

SIZE/NUMBER OF CONTACTS _____

E09, A15, B25, OR C37

CONNECTOR STYLE _____

P=PIN

S=SOCKET

TERMINATION TYPE _____

B=.405" [10.29] FOOTPRINT

MOUNTING _____

2=.120 [3.05] DIA THROUGH HOLE

3=#4-40 UNC SELF-LOCKING THREAD

4=#4-40 UNC THREAD

6=M3 x 0.5 THREAD

E=CODE 4 MOUNTING WITH #4-40 UNC HEX JACK SOCKET SUPPLIED.

CONTACT FINISH/GOLD THICKNESS

NO DIGIT=STANDARD 15 MINCHES [0.38 MICRONS] GOLD

6=50 MINCHES [1.27 MICRONS] GOLD

MODIFIER

0=STANDARD

FILTER CAPACITANCE



D=50 pF 5=1000 pF

0=150 pF E=2200 pF

1=470 pF 9=9000 pF


4=820 pF 8=47000 pF

REFER TO AMPHENOL CATALOGUE FOR FILTER PERFORMANCE CHARACTERISTICS



- NOTES:
1. MATERIALS: - SHELLS - TIN PLATED STEEL
 - CONTACTS - PHOSPHOR BRONZE PLATED WITH GOLD OVER NICKEL ON THE MATING AREA AND TIN-LEAD ON THE TERMINALS
 - INSULATOR - ENGINEERING THERMOPLASTIC, FLAMMABILITY RATING UL94V-0, BLACK.
 2. CONTACT RESISTANCE: 15 MILLIOHMS MAXIMUM.
 3. INSULATION RESISTANCE: 3000 MEGOHMS MINIMUM
 4. CURRENT RATING: 5 AMPS MAXIMUM
 5. OPERATING TEMPERATURE: -40°C TO 85°C.
 6. TOLERANCE, UNLESS INDICATED OTHERWISE, ±.005 [0.13].

C±.005 [0.13]	D±.005 [0.13]	E BSC.
.666 [16.92]	.984 [24.99]	.432 [10.97]
.994 [25.25]	1.312 [33.32]	.756 [19.20]
1.534 [38.96]	1.852 [47.04]	1.304 [33.12]
2.182 [55.42]	2.500 [63.50]	1.956 [49.98]



MATERIAL	FINISH
---	---

DRAWN / LESSA/LEE	DATE
DESIGNED	99/09/23
CHECKED K LAMBIE	
1. E. APPROD.	
Q. A. APPROD.	
DWG. APPROD.	
ENG. REL. NO.	
REF. EAR C7085B	
DIMENSIONS ARE IN CODE NO. ND	
INCHES [mm]	03554

ETARY INFORMATION AND SUCH INFORMATION FOR ANY PURPOSE OR USED FOR MANUFACTURING DIVISION FROM AMPHENOL CANADA CORP.

Amphenol Canada Corp.

TITLE: FCC17 FILTERED D-SUB, RIGHT ANGLE .405" [10.29] F/P, PIN & SOCKET - PLASTIC MTG. BRACKET & BOARDLOCK

DWG DRAWING NO. P-FCC17-XXXXB-XXXX

REV. A

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

- ⊖ [View FCC17E09SB280 on WIN SOURCE](#)
- ⊖ [Amphenol Commercial Products Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

- ✓ Global Sourcing Solution
- ✓ Obsolete Management
- ✓ Cost Control Management
- ✓ Shortage Management
- ✓ Alternative Solution
- ✓ Excess Inventory Management