



THE DATASHEET OF ZTX458STOA




ZTX458

NPN SILICON PLANAR ME HIGH VOLTAGE TRANSIS ISSUE 2 – MARCH 1994

FEATURES

- * 400 Volt V_{CE0}
- * 0.5 Amp continuous current
- * $P_{tot} = 1$ Watt

TYPICAL CHARACTERISTICS



ABSOLUTE MAXIMUM RATINGS

PARAMETER

Collector-Base Voltage	
Collector-Emitter Voltage	
Emitter-Base Voltage	
Continuous Collector Current	
Power Dissipation at $T_{amb}=25^{\circ}\text{C}$	
Operating and Storage Temperature	

ELECTRICAL CHARACTERISTICS

PARAMETER	SYMBOL	MIN	MAX
Collector-Base Breakdown Voltage	$V_{(BR)CBO}$	4	
Collector-Emitter Breakdown Voltage	$V_{CE0(sus)}$	4	
Emitter-Base Breakdown Voltage	$V_{(BR)EBO}$	5	
Collector Cut-Off Current	I_{CBO}		
Collector Cut-Off Current	I_{CES}		
Emitter Cut-Off Current	I_{EBO}		
Collector-Emitter Saturation Voltage	$V_{CE(sat)}$		
Base-Emitter Saturation Voltage	$V_{BE(sat)}$		
Base-Emitter Turn On Voltage	$V_{BE(on)}$		
Static Forward Current Transfer Ratio	h_{FE}	1	1
		1	1
Transition Frequency	f_T	5	
Collector-Base Breakdown Voltage	C_{ob0}		


ZTX458

NPN SILICON PLANAR ME HIGH VOLTAGE TRANSIS ISSUE 2 - MARCH 1994

FEATURES

- * 400 Volt V_{CE0}
- * 0.5 Amp continuous current
- * $P_{tot} = 1$ Watt

TYPICAL CHARACTERISTICS



ABSOLUTE MAXIMUM RATINGS

PARAMETER


Collector-Base Voltage	
Collector-Emitter Voltage	
Emitter-Base Voltage	
Continuous Collector Current	
Power Dissipation at $T_{amb}=25^{\circ}C$	
Operating and Storage Temperature	

ELECTRICAL CHARACTERISTICS

PARAMETER	SYMBOL	MIN	MAX
Collector-Base Breakdown Voltage	$V_{(BR)CBO}$	4	
Collector-Emitter Breakdown Voltage	$V_{CE0(sus)}$	4	
Emitter-Base Breakdown Voltage	$V_{(BR)EBO}$	5	
Collector Cut-Off Current	I_{CBO}		
Collector Cut-Off Current	I_{CES}		
Emitter Cut-Off Current	I_{EBO}		
Collector-Emitter Saturation Voltage	$V_{CE(sat)}$		
Base-Emitter Saturation Voltage	$V_{BE(sat)}$		
Base-Emitter Turn On Voltage	$V_{BE(on)}$		
Static Forward Current Transfer Ratio	h_{FE}	1	1
Transition Frequency	f_T	5	
Collector-Base Breakdown Voltage	C_{ob0}		

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View ZTX458STOA on WIN SOURCE](#)
-  [Diodes Incorporated Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management