








**THE DATASHEET OF
10103594-0001LF**






RECOMMENDED PCB Pattern
(Tolerance : ±0.05)

-NOTE-

1. This product is enable to mount both USB-IF Recommended PCB pattern and NEW USB-IF Recommended PCB Pattern
2. Coplanarity : The dimension between flat tool and when connector put on the flat tool like PCB bottom of soldering terminals
Signal terminal / Metal (front) : Max 0.08 mm
3. PRODUCT NUMBERING
10103594 - 0001 LF

2.45
(2.99)

Initial No.5



Material	Finish	Remarks
Plastic	(Black)	
Plating	Au over Ni	
Steel	Sn over Ni	
Steel		

mat'l. code		tolerances unless otherwise specified		CUSTOMER COPY		title	
ltr	ecm no	dr	date	linear	projection	product family	code
A	T10-0002	J.H	1/7/10	.XX ± 0.25 .XXX ± 0.15 0° ± 2°	MM	USB	TWN
				dr JASON HSU 1/7/10	MM	10103594	1 of 1
				enfr JASON HSU 1/7/10	NA		
				chr GARY HSIEH 1/7/10			
				appr JOSEPH HSIA 1/7/10			
sheet index	revision	A	1				
	sheet						



DETAIL "A"

www.fcconnect.com

MICRO-USB B-TYPE RECFP.

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View 10103594-0001LF on WIN SOURCE](#)
-  [Amphenol FCI Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management