



**THE DATASHEET OF  
SDT-S-103DMR,000**




REVISION  
 REVISED: \_\_\_\_\_  
 3

LOC HB  
 DIST -


REVOLUTIONS		REVISIONS	
P	L/R	DESCRIPTION	DATE
A1		REVISED ECO-11-005140	29-MAR-11
A2		1.CHANGE THE LOGO 2.ADD LINE IDENTIFICATION 3.TERMINALS TOLERANCE QUALIFICATION	26-MAR-12
		ECO-11-005140	YSH
			BH.Y

NOTES:  
 ① 1. LOT NO. SYSTEM AS FOLLOWING:



② 2. TERMINAL DIMENSIONS BEFORE SOLDER DIP  
 ③ 3.FOR THE TIN-PLATING OF THE PINS: +0.1mm FOR WIDTH, THICKNESS AND DIAMETER +0.5mm FOR LENGTH

DRILLING DIAGRAM  
 BOTTOM VIEW (2/1)



CONNECTION DIAGRAM  
 BOTTOM VIEW (2/1)







Diagram dimension	Tolerance
max. 1mm	±0.1mm
1 - 3mm	±0.2mm
min. 3mm	±0.3mm



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIM: K.KOKAKO		NAME: SDT-DMR	
CHK: H.SASAKI		TE Connectivity	
APPD: A.NAGAI		SIZE: A3	
PRODUCT SPEC		CAGE CODE: 00779	
APPLICATION SPEC		DRAWING NO: 1461267	
WEIGHT: -		SCALE: 4:1	
CUSTOMER DRAWING		SHEET: 1 of 2	
		REV: A2	



A

B

C

D

REVISION  
 REVISED: \_\_\_\_\_

LOC	DIST	P	L/R	DESCRIPTION	DATE	DMN	APRD
HB	-	-	-	SEE SHEET 1	-	-	-

3 2 1

-79782	18V	SDT-S-118DMR	STANDARD	h
-79440	48V	SDT-S-148DMR	STANDARD	q
-79439	24V	SDT-S-124DMR	STANDARD	f
-79438	12V	SDT-S-112DMR	STANDARD	e
-79437	9V	SDT-S-109DMR	STANDARD	d
-79436	6V	SDT-S-106DMR	STANDARD	c
-79435	5V	SDT-S-105DMR	STANDARD	b
-79434	3V	SDT-S-103DMR	STANDARD	a
DUCT SPEC	PART B	PART A	DESCRIPTION	No



RELAY TYPE

		15
	14	
	13	
	12	
	11	
	10	
	9	
	8	
	7	
	6	
	5	
	4	
	3	
	2	
	1	

THIS DRAWING IS A CONTROLLED DOCUMENT.

DMN	K.OKAKO
CHK	H.SASAKI
APRD	A.NAGAI
PRODUCT SPEC	
APPLICATION SPEC	
WEIGHT	

NAME: SDT-DMR

SIZE: A3

CAGE CODE: 00779

DRAWING NO: 1461267

RESTRICTED TO: A2


SCALE: 4:1

SHEET: 2 OF 2

REV: A2



TE Connectivity



DIMENSIONS: mm

0 R/C  
 1 R/C  
 2 R/C  
 3 R/C  
 4 R/C

FINISH ANGLES



TOLERANCES UNLESS OTHERWISE SPECIFIED:

±  
 ±  
 ±  
 ±  
 ±

MATERIAL

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View SDT-S-103DMR,000 on WIN SOURCE](#)
-  [TE Connectivity Information](#)

## Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management