



**THE DATASHEET OF  
SF504401NR**




0.187  
ACROSS FLATS

4-40 UNC-2B x 0.100 Min. DEPTH

3/16 HEX

4-40 UNC-2A



MATERIAL: BRASS - C3604  
PLATING: NICKEL  
TORQUE VALUE: 4 - 5 IN. LBS. Max

**DO NOT SCALE FROM DRAWING**

	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF NorComp AND SHALL NOT BE REPRODUCED, COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OF SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.		
	DRAWN: <b>PAM JENKINS</b>	DATE: <b>8-8-05</b>	

CHECKED:	DATE:	
SCALE: <b>8 : 1</b>	SHEET <b>1</b>	OF <b>1</b>

REV  
**2**

DWG NO. **SFSO-440-1-NR**

**COMPLIANT**

**NorComp**

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View SFSO4401NR on WIN SOURCE](#)

 [NorComp Inc. Information](#)

## Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management