



THE DATASHEET OF ICS9LPR462AGLF



9LPR462AGLF

Category: Desktop Chipsets
Generic Part: 9LPR462
Market Group: PC CLOCK
Description: PC MAIN CLOCK
 Output Features: ϕ Push-pull differential clocks ϕ 2 - pairs of CPU pairs, AMD K8 Greyhunt compatible ϕ 8 - pairs of SRC pairs ϕ 4 - pairs of ATIG pairs ϕ 1 - HyperTransport 66MHz clock seed ϕ 2 - 48MHz USB clock ϕ 3 - 14.318MHz Reference clock



Parameters

Temperature	C
Voltage	3.3 V
Package	TSSOP 64
Speed	NA
Status	Active
Sample	Yes
Minimum Order Quantity	196
Factory Order Increment	28

Distributor Inventory

No Pricing information is available from our Distributors at this time.

Documents

No documents available for this part at this time.

Package

Package	TSSOP 64 (PAG64)
Description	TSSOP 6.1 MM 0.5MM PITCH
Status	Active
Class	PLASTIC
Category	Green
Pb (Lead) Free	Yes
Mark	G
Package Type	TSSOP
Lead Count	64
Length	17.0 mm
Width	6.1 mm
Thickness	1.0 mm
Pitch	0.5 mm
Tube / Tray	TUBE
Quantity per Tube/Tray	28
Quantity per Reel	1000
Moisture Sensitivity Level (MSL)	1
Moisture Exposure Floor Life	Unlimited@<30C/85%RH
Peak Reflow Temperature	260 \AA C
Rebake Conditions	NA
Related Package Documents	view documents

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

- ⊖ [View ICS9LPR462AGLF on WIN SOURCE](#)
- ⊖ [IDT, Integrated Device Technology Inc Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

- ✓ Global Sourcing Solution
- ✓ Obsolete Management
- ✓ Cost Control Management
- ✓ Shortage Management
- ✓ Alternative Solution
- ✓ Excess Inventory Management