





- ▲ CLIP CAN BE INSTALLED AS SHOWN FOR SMALL DIAMETER CABLE, OR REVERSED FOR LARGE DIAMETER CABLE.
- ▲ CLIP MAY BE USED AT EITHER CABLE EXIT.
- ▲ CABLE GATE PLUG TO BE PLACED IN CABLE EXIT NOT BEING USED.
- ▲ RETAINER SCREWS AND RETAINER CLIPS PROVIDED WITH THIS KIT FOR USE WITH METAL SHELL CONNECTORS.
- 5. CABLE DIAMETER RANGE = 6.35-13.97 [.250-.550].

OBSELETE	SMALL PACK	749916-3
	UNIT KIT	749916-2
	BULK PACKED	749916-1
	PACKAGING	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		BY: T. MCMASTER	DATE: 05/01/03	BY: T. MCMASTER	DATE: 05/01/03
DRAWN: M. WILKINSLEY		BY: T. MCMASTER	DATE: 05/01/03	BY: T. MCMASTER	DATE: 05/01/03
CHECKED: M. WILKINSLEY		BY: T. MCMASTER	DATE: 05/01/03	BY: T. MCMASTER	DATE: 05/01/03
APPROVED: M. WILKINSLEY		BY: T. MCMASTER	DATE: 05/01/03	BY: T. MCMASTER	DATE: 05/01/03
MATERIAL: SEE CALLOUTS		REVISION: 1	DATE: 05/01/03	BY: T. MCMASTER	DATE: 05/01/03
PART: SEE CALLOUTS		REVISION: 2	DATE: 05/01/03	BY: T. MCMASTER	DATE: 05/01/03
CUSTOMER DRAWING		SCALE: 4:1	SHEET: 1 OF 1	REV: J	

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View 749916-2 on WIN SOURCE](#)

 [TE Connectivity](#) Information

## Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management