

REVISIONS				
EC NO	DATE	REV	DESCRIPTION	CHANGER
	2016.12.07	A	INITIAL RELEASE.	DICK





TABLE			
PART NUMBER	L1	L2	TITLE
451300401	150±10	69REF	Nano-Fit 4 Circuit 150MM
451300403	300±10	144REF	Nano-Fit 4 Circuit 300MM
451300410	1000±15	494REF	Nano-Fit 4 Circuit 1M



DETAIL A

- NOTES**
- THIS PRODUCT MUST MEET 2011/65/EU ROHS COMPLIANCE.
此产品需符合 2011/65/EU ROHS环保要求.
 - ELECTRICAL PERFORMANCE REFER TO ES-000.
电气特性参考ES-000.
 - LABEL TEXT MUST BE 2mm MAX. IN HEIGHT WITH ARIAL FONT.
标签字高最大2mm,字体ARIAL.

ITEM	DESCRIPTION	L(MM)	Q'TY
E	Blank label 12.7x35.5mm (WHT:12.7mm) HF		1
D	20AWG;PLATED;PVC;BK;OD=1.46MM;UL1061	A/R	
C	NANOFIT TPA V0 NAT 2 CKT		4
B	NANOFIT CRIMP TERM 2022, Gold Plating		8
A	NANOFIT RCPT HSG DLR 4CKT TPA BLK		2

WIRING CHART		
P1	P2	COLOR
1	2	BLACK
2	1	BLACK
3	4	BLACK
4	3	BLACK

QUALITY SYMBOLS FA = 0 FE = 0 FB = 0 FV = 0 FC = 0 FX = 0 FS = 0 FT = 0	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		DIMENSION UNITS MM	SCALE NTS			
	EC NO: 111343 DRWN: WLXIE CHK'D: DHUANG16 APPR: YXZOU	2016/12/06 2016/12/09 2016/12/11	GENERAL TOLERANCES (UNLESS SPECIFIED) ANGULAR TOL ± °	DRWN BY WLXIE		DATE 2016/11/16	SEE TABLE
	4 PLACES ± 3 PLACES ± 2 PLACES ± 1 PLACE ± 0 PLACES ±		CHK'D BY DHUANG16	DATE 2016/12/05		PRODUCT CUSTOMER DRAWING	
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		APPR BY YXZOU	DATE			
EC NO: 111343 DRWN: WLXIE CHK'D: DHUANG16 APPR: YXZOU		DIMENSION UNITS A3	THIRD ANGLE PROJECTION	DOCUMENT NUMBER: 2012341658 DOC TYPE: PSD DOC PART: 000 SHEET NUMBER: 1 OF 1			

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View 451300410 on WIN SOURCE](#)

 [Molex, LLC Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management