



# THE DATASHEET OF CE1050TP



## 1.2 - 2.5A Point of Load Converter

### Features

- ◆ 9 to 26.4V Input
- ◆ 3.3 to 12.6V Outputs
- ◆ Surface Mount
- ◆ Low 5.5mm Profile
- ◆ Non Isolated Output
- ◆ Wide range output
- ◆ Constant switching frequency
- ◆ Five sided shielding



### Specifications

Model		CE-1050
Nominal Output Voltage	(1) VDC	+3.3 to +12.6
Input Voltage Range	VDC	9 - 26.4
Input Current (max)	A	1.8
Output Voltage Tolerance	%	N/A
Ripple & Noise (typ) (pk - pk)	mV	50 (18V input, 5V 2.5A output)
Total Regulation (typ)	mV	Vout=3.3 to 5.0:±3.5%; Vout ≥ 5.0: ±5%
Overload Protection (typ)	A	3.5
Overvoltage Protection	-	None
Remote Sense	-	None
Remote On / Off	-	Voltage on pin 5: ON = 3 - 6V; OFF= 0 - 0.6V
Sequencing	-	None
Temperature (operating)	°C	-20 to +85°C
Temperature (storage)	°C	-20 to +85°C
Humidity (operating)	-	10-90% RH Non condensing @ max temp 38°C
Humidity (storage)	-	Sealed packaging, see Technical Download
Cooling	-	Convection or forced air
Isolation Voltage	VDC	N/A
Vibration (non operating)	-	Frequency: 10-2000Hz, Sweep time: 4 minutes per cycle Amplitude: 10G, 30 minutes each x, y, and z direction
Shock	-	Peak Acceleration: 100G, Duration: 6msec; three times each axis
Safety Agency Approvals	-	N/A
Weight (max)	g	3.7
Size	mm	21.3 x 16.4 x 5.5
Warranty	-	1 year


Notes:

(1) Input / output voltage differential must ≥ 4V.


# OBSOLETE

## Derating Curves


Vout=3.3V




Vout=9.0V



Vout=5.0V




Vout=12V



## Model Selector

Model	Output <sup>1</sup> Voltage (V)	Output <sup>1</sup> Adjust (V)	Output Current (A)	Efficiency (typ)
CE-1050	3.3 - 12.6V	3.3 - 12.6V	see curves	90%

## Outline Drawing



## Pinout

Pin	Function	Description
1	Vin	+V input
2	Vin	+V input
3	GND	-V input
4	GND	-V input
5	On / Off	Remote On/Off
6	GND	-V output
7	GND	-V output
8	Vset	Output trim
9	Vout	+V output
10	Vout	+V output

## Options

Suffix	Options
Blank	Tray package
-TP	Tape and reel (400 per reel)

For Additional Information, please visit [us.tdk-lambda.com/lp/products/ce-series.htm](http://us.tdk-lambda.com/lp/products/ce-series.htm)



# OBSOLETE

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

- ⊖ [View CE1050TP on WIN SOURCE](#)
- ⊖ [TDK-Lambda Americas Inc. Information](#)

## Optimize Your Supply Chain with WIN SOURCE Solutions

- ✓ Global Sourcing Solution
- ✓ Obsolete Management
- ✓ Cost Control Management
- ✓ Shortage Management
- ✓ Alternative Solution
- ✓ Excess Inventory Management