









**THE DATASHEET OF
CLF10040T-2R2N-CA**



CLF10040T-2R2N-CA

Applications		Automotive Grade
Feature		Wire Wound
		Magnetic Shield
		Ferrite Core
		AEC-Q200
Series	CLF-CA Series / CLF10040-CA Type	
Status	Production	



Size	
Length(L)	10.00mm +/-0.30mm
Width(W)	9.70mm +/-0.30mm
Thickness(T)	3.80mm +/-0.30mm
Recommended Land Pattern (A)	2.50mm Nom.
Recommended Land Pattern (B)	5.60mm Nom.
Recommended Land Pattern (C)	3.20mm Nom.


Electrical Characteristics	
Inductance	2.2uH +/-30% at 100kHz
Rated Current (L Change) [Typ.]	7.5A (10% Down)
Rated Current (Temperature Rise) [Typ.]	5A (30degC Rise)
DC Resistance [Nom.]	9.7mΩ
DC Resistance [Max.]	12.61mΩ

Other	
Operating Temp. Range (Including Self-Temp. Rise)	-40 to 105degC
Soldering Method	Reflow, Iron Soldering
AEC Q200	Yes
Packing	Blister (Plastic)Taping [330mm Reel]
Package Quantity	800Pcs Min.
Weight	1.3g


•This PDF document was created based on the data listed on the TDK Corporation website.
 •All specifications are subject to change without notice.

CLF10040T-2R2N-CA


Characteristic Graphs (This is reference data, and does not guarantee the product's characteristics.)




CLF10040T-2R2N-CA



CLF10040T-2R2N-CA



CLF10040T-2R2N-CA




CLF10040T-2R2N-CA


•This PDF document was created based on the data listed on the TDK Corporation website.
 •All specifications are subject to change without notice.

CLF10040T-2R2N-CA

Characteristic Graphs (This is reference data, and does not guarantee the product's characteristics.)




CLF10040T-2R2N-CA(Amb. Temp. = 20degc)



CLF10040T-2R2N-CA(DC = 0A)

CLF10040T-2R2N-CA(DC = 2.5A)





CLF10040T-2R2N-CA(Amb. Temp. = 20degc)

•This PDF document was created based on the data listed on the TDK Corporation website.
 •All specifications are subject to change without notice.

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View CLF10040T-2R2N-CA on WIN SOURCE](#)
-  [TDK Corporation](#) Information

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management