



THE DATASHEET OF BAS7004TA



**SOT23 SILICON PLANAR
SCHOTTKY BARRIER DIODE**
ISSUE 3 - JULY 1995



SERIES PAIR	COMMON CATHODE
Device Type: BAS70-04	Device Type: BAS
Partmarking Detail: 2Z	Partmarking Detail:

ABSOLUTE MAXIMUM RATINGS

PARAMETER
Power Dissipation at $T_{amb}=25^{\circ}C$
Operating and Storage Temperature F

ELECTRICAL CHARACTERISTICS



PARAMETER	SYMBOL
Breakdown Voltage	V_{BR}
Reverse Leakage Current	I_R
Forward Voltage	V_F
Forward Current	I_F
Capacitance	C_T
Effective Minority Lifetime (1)	τ

(1) Sample Test



For typical characteristics graphs see Z

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View BAS7004TA on WIN SOURCE](#)
-  [Diodes Incorporated Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management