









**THE DATASHEET OF
VLF403215MT-6R8M-CA**



VLF403215MT-6R8M-CA

Applications		Automotive Grade
Feature		Wire Wound
		Magnetic Shield
		Ferrite Core
		AEC-Q200
Series	VLF-M Series / VLF403215MT-CA Type	
Status	PROD	



Size	
Length(L)	4.00mm +/-0.20mm
Width(W)	3.20mm +/-0.20mm
Thickness(T)	1.50mm Max.
Recommended Land Pattern (A)	1.10mm Nom.
Recommended Land Pattern (B)	1.30mm Nom.
Recommended Land Pattern (C)	1.80mm Nom.


Electrical Characteristics	
Inductance	6.8uH +/-20% at 1MHz
Rated Current (L Change) [Typ.]	1.27A (30% Down)
Rated Current (L Change) [Max.]	1.14A (30% Down)
Rated Current (Temperature Rise) [Typ.]	1.68A (40degC Rise)
DC Resistance [Nom.]	110mΩ
DC Resistance [Max.]	130mΩ

Other	
Operating Temp. Range (Including Self-Temp. Rise)	-40 to 105degC
Soldering Method	Reflow
AEC Q200	Yes
Packing	Blister (Plastic)Taping [180mm Reel]
Package Quantity	1000Pcs Min.
Weight	0.072g


•This PDF document was created based on the data listed on the TDK Corporation website.
 •All specifications are subject to change without notice.

VLF403215MT-6R8M-CA


Characteristic Graphs (This is reference data, and does not guarantee the product's characteristics.)




VLF403215MT-6R8M-CA



VLF403215MT-6R8M-CA



VLF403215MT-6R8M-CA




VLF403215MT-6R8M-CA


- This PDF document was created based on the data listed on the TDK Corporation website.
- All specifications are subject to change without notice.

VLF403215MT-6R8M-CA


Characteristic Graphs (This is reference data, and does not guarantee the product's characteristics.)



VLF403215MT-6R8M-CA(Amb. Temp. = 20degc)



VLF403215MT-6R8M-CA(DC = 0A) VLF403215MT-6R8M-CA(DC = 0.57A)





VLF403215MT-6R8M-CA(Amb. Temp. = 20degc)

•This PDF document was created based on the data listed on the TDK Corporation website.
 •All specifications are subject to change without notice.

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View VLF403215MT-6R8M-CA on WIN SOURCE](#)
-  [TDK Corporation Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management