



**THE DATASHEET OF
SHGL04601**





Quality Products. Service Excellence.

250-400 W Fan Heater SHGL Series



Features

- For use when larger heating capacities or internal forced air circulation is required.
- Designed to prevent condensation or maintain minimum temperature in enclosures.
- Thermostats are also available.

Accessories

- Temperature Controls and Accessories

| Part No. | Watts | Surface Temperature | Starting Current | Dimensions |
|-----------|-------|---------------------|------------------|------------------------|
| | | | | Length x Width x Depth |
| SHGL04600 | 250 | 167°F | 2.2 A | 7.00 x 3.15 x 3.15 |
| SHGL04601 | 400 | 167°F | 3.5 A | 9.76 x 3.15 x 3.15 |

| | |
|--------------------|---|
| Operating Voltage: | AC 110-120 V, 50/60 Hz |
| Circulation Power: | 20 CFM Free Blowing |
| Axial Fan: | Ball Bearing |
| Durability: | 30,000 hrs. at 68°F ambient temperature |
| Heating Element: | Resistance heating element with temperature limiter |
| Heating Body: | Extruded aluminum, black anodized |
| Connection: | 3 pole terminal for 12 AWG |
| Mounting: | Easily installed by clip mounting on 35 mm DIN rails (included) |
| Protection Class: | 1 (tested for grounding at 1250 V) |
| Protection: | IP20 |
| Approval: | UL Recognized Component, cUL Recognized Component, CE |



Tags: SHG, temperature, climate, heater, fan, forced air, condensation

Data subject to change without notice

© 2024. Hammond Manufacturing Ltd. All rights reserved.

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View SHGL04601 on WIN SOURCE](#)
-  [Hammond Manufacturing Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management