



**THE DATASHEET OF
THMSC55H04-M30**







THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

PANDUIT PART NO.	'A'	'B'	'C'	WEIGHT grams/100 pcs
THMSC55H04	55.0	9.0	9.8	85

NOTES:

- SEE CURRENT PRICE SHEET FOR PART NUMBER SUFFIX DESIGNATION FOR PACKAGE SIZE.
- APPLICATION SPECIFICATION:
HOLE DIAMETER: 6.3 - 7.1 mm
PANEL THICKNESS: 3.4 - 3.6 mm
- MATERIAL:
-30: BLACK HEAT STABILIZED NYLON 6/6.
-39: NATURAL HEAT STABILIZED NYLON 6/6.



SCALE: 1:1

ALL DIMENSIONS ARE METRIC [mm]

CAD FILENAME/LAYERS G03601DA_DC_GB0239NX/00B

PANDUIT

CORP.

TINLEY PARK, ILLINOIS

THMSC55H04
TIE HARNESS MOUNT



UNLESS OTHERWISE SPECIFIED,
ALL DIMENSIONS ARE METRIC
TOLERANCE: ±0.5mm

REV	DATE	BY	CHK	DESCRIPTION	ECN	R	CUST	SUP
OOB	04/06/09	GDH	<i>GDH</i>	ADDED PRODUCT WEIGHT TO TABLE	GB0239NX	OOB	<i>KLN</i>	
OOA	02/11/09	GDH		INITIAL RELEASE	GB0239NX	OOA		

DRAWN BY GDH	MAT'L:	SCALE 2:1
DATE 02/11/09	SEE NOTE 3.	DRAWING NO. GB0239NX
CHK'D <i>KLN</i>		DWG A SIZE

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

-  [View THMSC55H04-M30 on WIN SOURCE](#)
-  [Panduit Corp Information](#)

Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management