






**THE DATASHEET OF
TFCC-30-01**



PART NO.	MAX. NO. OF CONDUCTORS	"A" REF	"B"	"C"	"D"	"E"	"F" REF.	MATERIAL	ADHESIVE
TFCC-30-01	30	32 [1.26]	45+1.5/-0.5 [1.77]	15.8±0.5 [.62]	18.6+1.2/-0.3 [.73]	3±0.2 [.12]	4.6 [.18]	NYLON 6/6 UL94 V-2 (RMS-74)	ARYLIC (RMS-350)
TFCC-40-01	40	54 [2.13]	67±1 [2.64]		15.8±1 [.62]	3.1±0.2 [.12]	4.7 [.19]	NYLON 6/6 UL94 V-2 (RMS-01)	ARYLIC (RMS-430)
TFCC-50-01	50	65.2 [2.57]	78.4+1.5/-0.5 [3.09]		18.8+1.2/-0.3 [.74]			NYLON 6/6 UL94 V-2 (RMS-74)	ARYLIC (RMS-350)



NOTES:
1. PART DESIGNED IN MM, INCH CONVERSION IS FOR REFERENCE ONLY.

I SEE CO 200715 FOR CHANGES SK 10/03/11 H SEE CO 200082 FOR CHANGES SK 12/06/07 G SEE CO 200041 FOR CHANGES SK 09/28/07 F REDRAWN, SEE ECN #1043 FOR CHANGES SK 08/25/05 - SEE ENGINEERING FOR REVISIONS A-E --- --- REV. DESCRIPTION ENGR. DATE			TITLE: TENSION FLAT CABLE CLAMP CREATED USING SOLIDWORKS GENERAL TOLERANCE ±0.25 MM UNLESS OTHERWISE STATED FILE #: TFCC SHEET: 1 OF 1 SHEET SIZE: A RE: RICHCO, INC.				DWN: SK DT: 08/25/05 APP: BR CHKD: RT RICHCO, INC. ENG@RICHCO-INC.COM (773) 539-4060		DWG IN MM [IN] FINAL PART # SEE TABLE		 PRINT TYPE CA
---	--	--	---	--	--	--	--	--	---	--	-----------------------------