


THE DATASHEET OF

17011542001

Alle Rechte vorbehalten/ All rights reserved









Kontakt-Maße
contact dimensions

(Längen der Steck- und Anschlußseite gelten für eingepreßte Steckverbinder)
(mating and termination length of contacts apply to pressed in connectors)



Kontaktbelegung
contact loading



(1) Empfohlener Lochaufbau und weitere Informationen siehe: DS 17 00 110 0101
recommended configuration of plated through holes and further information see: DS 17 00 110 0101

17 01 154 4001	S4
17 01 154 2001	2
17 01 154 1001	1
Bestell-Nr. *part-no.*	Anforderungsstufe *performance level* (1)

All Dimensions in mm Original Size DIN A 3			Techn. Character.			Maßstab/*Scale*	Nicht tolerierte Maße/*Free size tolerances* IEC 61076-4-101
				Dat.	Name		har-bus HM Messerleiste Typ A 154pol.,Anschlußl. 14,5mm und 16mm *har-bus HM male connector type A 154pol.,term. length 14,5mm and 16mm*
35947	10.12.09	Hage.	Detail.	01.10.98	Hl.	2 : 1	
35560	11.08.09	Hage.	Insp.	01.10.98	Wei.		
34337	15.05.07	Cla	Stand.				
28482	31.08.00	Koe	HARTING Electronics GmbH & Co. KG D-32339 ESPELKAMP				TB 17 01 154 x001
24601							Sub.
Mod.	Dat.	Name					Blatt/ *page*

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

- View 17011542001 on WIN SOURCE
- HARTING Information

Optimize Your Supply Chain with WIN SOURCE Solutions

- Global Sourcing Solution
- Obsolete Management
- Cost Control Management
- Shortage Management
- Alternative Solution
- Excess Inventory Management