


THE DATASHEET OF

17011542204









Kontakt-Maße
contact dimensions


(Längen der Steck- und Anschlußseite gelten für eingepreßte Steckverbinder)
(mating and termination length of contacts apply to pressed in connectors)



Kontaktbelegung
contact loading



Lochbild
board drillings



1 Empfohlener Lochaufbau und weitere Informationen siehe: DS 17 00 110 0101
recommended configuration of plated through holes and further information see: DS 17 00 110 0101

17 01 154 4204	S4
17 01 154 2204	2
17 01 154 1204	1
Bestell-Nr. *part-no.*	Anforderungsstufe *performance level* 1

All Dimensions in mm Original Size DIN A 3

Techn. Character.

Nicht tolerierte Maße/*Free size tolerances* IEC 61076-4-101

				Dat.	Name
35947	10.12.09	Hage.	Detail.	21.08.98	Hl.
35560	18.08.09	Hage.	Insp.	21.08.98	Wei.
34337	16.05.07	Cla	Stand.		
28482	31.08.00	Koe			
24115					
Mod.	Dat.	Name			

Maßstab/*Scale* 2 : 1

HARTING Electronics GmbH & Co. KG
D-32339 ESPELKAMP

har-bus HM Messerleiste Typ A
154pol., Anschlußlänge 3,7mm
har-bus HM male connector type A
154pol., termination length 3,7mm

TB 17 01 154 x204

Blatt/*page* /

Sub.

Alle Rechte vorbehalten/ All rights reserved

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

- View 17011542204 on WIN SOURCE
- HARTING Information

Optimize Your Supply Chain with WIN SOURCE Solutions

- Global Sourcing Solution
- Obsolete Management
- Cost Control Management
- Shortage Management
- Alternative Solution
- Excess Inventory Management