


THE DATASHEET OF

17021752201

Alle Rechte vorbehalten/ All rights reserved









Kontakt-Maße
contact dimensions


(Längen der Steck- und Anschlußseite gelten für eingepreßte Steckverbinder)
(mating and termination length of contacts apply to pressed in connectors)



Kontaktbelegung
contact loading



Lochbild
board drillings



1 Empfohlener Lochaufbau und weitere Informationen siehe: DS 17 00 110 0101
recommended configuration of plated through holes and further information see: DS 17 00 110 0101

17 02 175 4201	S4
17 02 175 2201	2
17 02 175 1201	1
Bestell-Nr. *part-no.*	Anforderungsstufe *performance level* 1

All Dimensions in mm Original Size DIN A 3			Techn. Character.			Nicht tolerierte Maße/*Free size tolerances* IEC 61076-4-101	
				Dat.	Name	Maßstab/*Scale*	har-bus HM Messerleiste Typ B-25 175pol.,Anschlußlänge 3,7mm *har-bus HM male connector type B-25 175pol.,termination length 3,7mm*
			Detail.	31.07.98	Hl.	2:1	
35954	15.12.09	Hage.	Insp.	31.07.98	Wei.		
34337	21.05.07	LehT	Stand.				
28984	12.01.01	Rie.	HARTING Electronics GmbH & Co. KG D-32339 ESPELKAMP			TB 17 02 175 x201	Blatt/*page* /
24118						Sub.	
Mod.	Dat.	Name					

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

- View 17021752201 on WIN SOURCE
- HARTING Information

Optimize Your Supply Chain with WIN SOURCE Solutions

- Global Sourcing Solution
- Obsolete Management
- Cost Control Management
- Shortage Management
- Alternative Solution
- Excess Inventory Management