THE DATASHEET OF

6SL32030BD238SA0

www.win-source.net 0086-755-83957316

SIEMENS

Data sheet for Line filter

MLFB-Ordering data **6SL3203-0BD23-8SA0**



Figure similar

Client order no. :
Order no. :
Offer no. :
Remarks :

Item no. :
Consignment no. :
Project :

Rated data

Input

Number of phases	3 AC
Line voltage	380 ... 480 V

Output

Rated current	39.4 A

Connections

Line side

Version	screw-type terminal
Conductor cross-section	4.00 mm²

Load side

Version	shielded lead
Conductor cross-section	4.00 mm²
Cable length	0.40 m

PE connection

Version	On housing with M4 screw studs

Mechanical data

Dimensions

Width	190.0 mm
Height	362.0 mm
Depth	55.0 mm
Degree of protection	IP20 / UL open type
Net weight	2.3 kg

Technical data are subject to change! There may be discrepancies between calculated and rating plate values.

generiert / generated Thu Jan 21 23:47:49 CET 2021

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

- View 6SL32030BD238SA0 on WIN SOURCE
- Siemens Information

Optimize Your Supply Chain with WIN SOURCE Solutions

- Global Sourcing Solution
- Obsolete Management
- Cost Control Management
- Shortage Management
- Alternative Solution
- Excess Inventory Management