THE DATASHEET OF


1761013-1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 ALL RIGHTS RESERVED.


LOC	DIST
GP	00


REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	04	REVISE PIPE AND BRACKET GEOMETRY	11MAR2004	WVS	MJP
	A	RELEASED PER EC 0513-0325-04	08JUL2004	MHC	JK
	A1	REVISED PER ECO-07-011809	21MAY07	ZMR	JRK
	A2	REVISED PER ECO-14-010419	11JUL2014	JW	SH



1. COPPER ALLOY, TIN PLATING PER ASTM B 545 1.25 µm MINIMUM THICKNESS, OVER NICKEL FLASH PER QQ-N-290. NON-PLATED EDGES ARE PERMISSIBLE
2. POLYCARBONATE, CLEAR
3. NICKEL SILVER ALLOY(NO PLATING)





3	LIGHT PIPE KIT	1761013-3
1	LIGHT PIPE KIT	1761013-1
CLAMP MATERIAL	DESCRIPTION	PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±0.10
3 PLC ±-
4 PLC ±-
ANGLES ±2°0'

MATERIAL -
FINISH -

DWN W VAN SCYOC 11FEB2004
CHK M PHILLIPS 11FEB2004
APVD M PHILLIPS 11FEB2004
PRODUCT SPEC -
APPLICATION SPEC 114-13120
WEIGHT -

TE Connectivity

NAME ASSEMBLY, LIGHT PIPE KIT, 1X6, SFP

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1		C-1761013	-

CUSTOMER DRAWING | SCALE 4:1 | SHEET 1 OF 1 | REV A1

Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

- View 1761013-1 on WIN SOURCE
- TE Connectivity Information

Optimize Your Supply Chain with WIN SOURCE Solutions

- Global Sourcing Solution
- Obsolete Management
- Cost Control Management
- Shortage Management
- Alternative Solution
- Excess Inventory Management