



**THE DATASHEET OF  
SRS-2-480**



| REV. | DESCRIPTION          |
|------|----------------------|
| D    | Engineering Update w |
| E    | Removed SRS-3 Fron   |
| F    | Updated SRS-2 Minor  |
| G    | SRS-5 Obsolete       |

MINOR I.D.

Ø.250 [Ø6.4mm]



I.D.

| PART NO. | SCREW SIZE | MINOR I.D.   | I.D.         | "H" - IN .005"(.127mm) INCREMENT |
|----------|------------|--------------|--------------|----------------------------------|
| SRS-1    | #4         | .107"(2.7mm) | .142"(3.6mm) | .050"~1.250"(1.3~31.8mm)         |
| SRS-2    | #6 (M3.5)  | .125"(3.1mm) | .174"(4.4mm) | .050"~1.250"(1.3~31.8mm)         |
| SRS-4    | M3         | .113"(2.9mm) | .144"(3.7mm) | .050"~1.250"(1.3~31.8mm)         |

4. TOLERANCE "H" DIMENSION:

H ≤ 0.500 (12.7mm) ±0.005(0.1mm)  
 0.500 > H (12.7mm) ±0.010(0.3mm)

3. MATERIAL: PVC, 94V-0, GREY. BIVAR MATERIAL CODE 37-GY.  
 M.A HANNA PVC CONCENTRATE, 10062077 GREY.

2. MATERIAL: PVC, 94V-0, WHITE. BIVAR MATERIAL CODE 28-WE.  
 ALPHAGARY DURAL PVC, 250M UV WHITE 3300.

1. GENERAL SPECIFICATIONS: BIVAR EXTRUDED COMPONENT SPECIFICATION BV00-E102.

| STANDARD TOLERANCE<br>(UNLESS OTHERWISE SPECIFIED) |            | DATE:    |
|--|------------|----------|
| DECIMALS   | ±.1        | 05/22/19 |
| ANGULAR  | X° ±.01    | DATE:    |
|  | .XXX ±.005 | 02/19/19 |
| DESIGNED:  |            | DATE:    |
| Shane Irving                                       |            | 05/22/19 |
| CHECKED:   |            | DATE:    |
| M. Chen  |            | 02/19/19 |

## Looking for pricing, stock, or lifecycle information?

Click below to explore more details on WIN SOURCE:

 [View SRS-2-480 on WIN SOURCE](#)

 [Bivar Inc. Information](#)

## Optimize Your Supply Chain with WIN SOURCE Solutions

-  Global Sourcing Solution
-  Obsolete Management
-  Cost Control Management
-  Shortage Management
-  Alternative Solution
-  Excess Inventory Management